



PRICE LIST

With Effect From :- 15 - 04 - 2012

Fact. & H. O. :- Plot No. A/34, Additional Ambernath MIDC, Anand Nagar, Ambernath (E),

Dist. Thane — 421 506, State. Maharashtra

Ph. No. :- (0251) 2621706, 2621518, 2621519







Fax :- (0251) 2621517.

2621418, 2621425, 2621378







E-mail :- mimic.ledlamps@gmail.com mimic.sales@gmail.com

DETAILS	Page No.	DETAILS	Page No.
16.5mm Cutout / Economy / Standard / Legend LED LAMP	03	Active Current Audio / Visual Indicator	18
22.5mm Cutout / Economy / Standard / Legend "AC" LED Lamp	04	Xenon Window & Xenon Flasher	19
AC/DC Series 16.5mm Cutout / 22.5mm Cutout	05	Real Phase Indicators	20
AC / DC Series Bi-Colour Lamp 16.5mm / 22.5mm cutout	06	"Single Siren" & Multipurpose Siren	21
AC / DC Series Steady+Blinkar Lamp 16.5mm / 22.5mm	07	LED Signages	22
22.5mm Cutout 40mmX30mm body Economy/Legend LED Lamp	08	Aeroplane Warning Light	23
22.5mm Cutout Round body Lamp / Non - illuminous push button and elements	09	LED Signal Lamp	24
		Annunciation Window	25
22.5mm Cutout Round body 32 Facia LED Lamp/ Minicontactors	10	Modular Annunciation System & Dimension Details	26,27
22.5mm Cutout illuminous push button AC/DC 1.75W series	11	"M" Series Fault Announcer	28
22.5mm Cutout illuminous push button AC 0.5W series			
"MN" Series Panel Top Indicators	12		
"Standard" Series Panel Top Indicators	13		
"M" Series Buzzer, Ringers & Hooter	14		
Hooter 72mm X 72mm & 96mm X 96mm	15		
Semaphore Indicators	16		
Buzzer & Buzzer Cum Flasher Lamp / Bicolour Lamp / Tricolour Lamp / Tricolour with Flasher	17		







MIMIC 16.5mm cutout / Economy / Standard / Legend LED Lamp

MIMIC	Dimension	Salient features	Code	'MIMIC' 16.5mm LED lamp	Min. Pkg.	Price Rs.			
 	 ∅ 16.5mm Cutout	<ul style="list-style-type: none"> Available voltages: 6, 12, 24, 48, 110, 220 VDC 6, 12, 24, 48, 110, 230, 415VAC LED Based Flasher fast flashing type 		MIMIC 16.5 mm Round body lamp					
			L/RB/16mm	Red, green, Amber	100	99.00			
			L/RB/16mm	White, Blue	100	133.00			
			BIL/RB/16mm	Bicolour lamp Red, green, Amber	10	160.00			
			FL/RB/16mm	Flasher lamp Red, green, Amber	10	215.00			
				For 110 VDC, 220 VDC		18 Extra			
				For 415 VAC		18 Extra			
				Lamp with fire retardant body		18 Extra			
			 	 ∅ 16.5mm Cutout	<ul style="list-style-type: none"> Available voltages: 6, 12, 24, 48, 110, 220 VDC 6, 12, 24, 48, 110, 230, 415VAC LED Based 		MIMIC 16.5 mm square body lamp		
						L/SQB/16	Red, green, Amber	100	90.00
L/SQB/16	White, Blue	100				120.00			
BIL/SQB/16	Bicolour lamp Red, green, Amber	10				144.00			
FL/SQB/16	Flasher lamp Red, green, Amber	10				194.00			
	For 110 VDC, 220 VDC					18 Extra			
	For 415 VAC					18 Extra			
	Lamp with fire retardant body					18 Extra			





MIMIC 22.5mm cutout / Economy / Standard / Legend "AC" LED Lamp

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
		Available voltage: 6,12,24,48,110,240,415 VAC Fire Retardant Body	Economy	MIMIC 22.5 mm Square body Lamp 30 X 30		
			L/ECO/SQB/22	Red, Green, Amber	50	100.00
			L/ECO/SQB/22	White, Blue	50	120.00
				For 415 VAC		18 Extra
		Available voltage: 6,12,24,48,110,240,415 VAC Fire Retardant Body	Standard	MIMIC 22.5 mm Square body Lamp 30 X 30		
			L/STD/SQB/22	Red, Green, Amber	50	114.00
			L/STD/SQB/22	White, Blue	50	137.00
				For 415 VAC		18 Extra
		Available voltage: 6,12,24,48,110,240,415 VAC Fire Retardant Body	Legend	MIMIC 22.5 mm Square body Lamp 30 X 30		
			L/LEG/SQB/22	Red, Green, Amber	50	128.00
			L/LEG/SQB/22	White, Blue	50	153.00
				For 415 VAC		18 Extra





MIMIC AC/DC Series 16.5mm cutout / 22.5mm cutout

MIMIC	Dimension	Salient features	Code	'MIMIC' 16.5mm / 22.5mm LED lamp	Min. Pkg.	Price Rs.
		Available voltage: 12 VAC/DC 48 VAC/DC 70 VAC/DC 110VAC/DC 230VAC/DC Fire Retardant Body	Economy			
			L/ECO/SQB	Red, Green, Amber	50	83.00
			L/ECO/SQB	White, Blue	50	100.00
		Available voltage: 12 VAC/DC 48 VAC/DC 70 VAC/DC 110VAC/DC 230VAC/DC Fire Retardant Body	Standard			
			L/STD/SQB	Red, Green, Amber	50	95.00
			L/STD/SQB	White, Blue	50	114.00
		Available voltage: 12 VAC/DC 48 VAC/DC 70 VAC/DC 110VAC/DC 230VAC/DC Fire Retardant Body	Legend			
			L/LEG/SQB	Red, Green, Amber	50	106.00
			L/LEG/SQB	White, Blue	50	126.00



MIMIC AC / DC Series Bi-Colour Lamp 16.5mm / 22.5mm cutout

MIMIC	Dimension	Salient features	Code	'MIMIC' Bi - Colour lamp	Min. Pkg.	Price Rs.
	<p>∅ 16.5mm Cutout</p> 	<ul style="list-style-type: none"> Available voltages: 12 VAC/DC 48 VAC/DC 70 VAC/DC 110 VAC/DC 230 VAC/DC 		MIMIC Bi-Colour Lamp 16.5 mm		
				Red + Green	50	90.00
				Red + Amber	50	90.00
				Green + Amber	50	90.00
				Red - Blue / White	50	107.00
				Green - Blue / White	50	107.00
	<p>∅ 22.5mm Cutout</p> 	<ul style="list-style-type: none"> Available voltages: 12 VAC/DC 48 VAC/DC 70 VAC/DC 110 VAC/DC 230 VAC/DC 		MIMIC Bi-Colour Lamp 22.5 mm		
				Red + Green	50	90.00
				Red + Amber	50	90.00
				Green + Amber	50	90.00
				Red - Blue / White	50	107.00
				Green - Blue / White	50	107.00









MIMIC AC / DC Series - Steady + Blinker Lamp 16.5mm / 22.5mm cutout

MIMIC	Dimension	Salient features	Code	'MIMIC'-Steady+Blinker lamp AC/DC - Series	Min. Pkg.	Price Rs.
	<p>Ø 16.5mm Cutout</p> 	<ul style="list-style-type: none"> Available voltages: 12 VAC/DC 24 VAC/DC 48 VAC/DC 70 VAC/DC 110 VAC/DC 230 VAC/DC 		Cutout 16.5mm		
				Steady + Blinker (Red + Red)	50	120.00
				Any other colour flashing &	50	130.00
				one colour steady		
				For Blue & White		17 Extra
	<p>Ø 22.5mm Cutout</p> 	<ul style="list-style-type: none"> Available voltages: 12 VAC/DC 24 VAC/DC 48 VAC/DC 70 VAC/DC 110 VAC/DC 230 VAC/DC 		Cutout 22.5mm		
				Steady + Blinker (Red + Red)	50	120.00
				Any other colour flashing &	50	130.00
				one colour steady		
				For Blue & White		17 Extra

MIMIC 22.5 Cutout 40X30 Economy / Standard / Legend LED lamp













MIMIC	Dimension	Salient features	Code	Min. Pkg. Price Rs.							
				Each 50 Nos							
				ECONOMY	STANDARD	LEGEND					
	 <p>∅ 22.5mm Cutout</p>	<p>Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC</p> <p>0.5 Watt</p> <p>Also available Green +steady+Red Flasher or vice versa or any combination with any two colour.</p> <p>Adjustable time 0 to 180 sec.</p>	L/ECO/RECT/22	Red, Green, Amber	106.00	120.00	135.00				
			L/ECO/RECT/22	White, Blue	125.00	164.00	180.00				
			BIL/ECO/RECT/22	Bicolour lamp Red, Green, Amber	156.00	181.00	206.00				
			TRL/ECO/RECT/22	Tricolour lamp Red, Green, Amber	207.00	273.00	277.00				
			FL/ECO/RECT/22	Flasher lamp Red, Green, Amber	214.00	261.00	285.00				
			RL/ECO/RECT/22	Relay lamp with single change over contact	328.00	285.00	330.00				
			RL/ECO/RECT/22	Relay lamp with double change over contact	432.00	458.00	474.00				
			← S+FL/ECO/RECT/22	Steady + Flasher lamp Red, Green, Amber	275.00	324.00	368.00				
			TL/ECO/RECT/22	Timer lamp with single change over contact	642.00	697.00	784.00				
			← TL/ECO/RECT/22	Timer lamp with double change over contact	766.00	820.00	904.00				
			OCL/ECO/RECT/22	Open collector lamp with single output transistor	269.00	265.00	270.00				
			OCL/ECO/RECT/22	Open collector lamp with double output transistor	354.00	386.00	388.00				
			TRUTH TABLE FOR "AND LAMP"			← LOL/ECO/RECT/22	Logic 'AND' lamp with single change over contact	445.00	482.00	479.00	
			INPUT - 1	INPUT - 2	INDICATION	RELAY	LOL/ECO/RECT/22	Logic 'AND' lamp with double change over contact	570.00	610.00	604.00
			✓	x	x	Denergised					
			x	✓	x	Denergised					
			✓	✓	✓	Energised					
			TRUTH TABLE FOR "OR LAMP"			← LOL/ECO/RECT/22	Logic 'OR' lamp with single change over contact	446.00	482.00	588.00	
			INPUT - 1	INPUT - 2	INDICATION	RELAY	LOL/ECO/RECT/22	Logic 'OR' lamp with double change over contact	570.00	610.00	604.00
			✓	x	✓	Energised					
x	✓	✓	Energised								
✓	✓	✓	Energised								
					For SIVP	18 Extra	18 Extra	18 Extra			
					For 110 VDC, 220 VDC	18 Extra	18 Extra	18 Extra			
					For 415 VAC	18 Extra	18 Extra	18 Extra			
					Lamp with fire retardant body	18 Extra	18 Extra	18 Extra			
					Lamp - Universal Voltage.	330.00	* No discount applicable				
					24 - 240VAC - DC						

MIMIC 22.5 Cutout Round body 32mm facia LED lamp / Minicontactor



MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
	 <p>Ø 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC Rugged design Proven performance Sparkling bright glow 0.5 Watt Big 32 mm front facia 	Economy			
			L/32F/ECO	Red, Green, Amber	50	114.00
			L/32F/ECO	White, Blue	50	176.00
	 <p>Ø 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC Rugged design Proven performance 0.5 Watt 180° viewing angle Smooth bright glow Big 32 mm front facia 	Standard			
			L/32F/STD	Red, Green, Amber	50	136.00
			L/32F/STD	White, Blue	50	226.00
	 <p>Ø 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC Rugged design Proven performance 0.5 Watt Indicates actual legend like R, Y, B, ON, OFF, TRIP, PUMP ON etc. Big 32 mm front facia 	Legend			
			L/32F/LEG	Red, Green, Amber	50	154.00
			L/32F/LEG	White, Blue	50	261.00
		<p>Salient features</p> <p>Available Voltage 24VDC, 48VDC, 24AC, 230VAC</p> <p>Contact Rating 1 Amp :- Inductive 4 Amp :- Resistive</p>	MIMIC MINI CONTACTORS			
			CON/1CO	1 C/O	10	181.00
			CON/2CO	2 C/O	10	302.00
				For 110 VDC & 220 VDC		

MIMIC LED Base 22.5 Cutout ILLUMINOUS Push Button AC/DC 1.75W series



MIMIC LED Base 22.5 Cutout ILLUMINOUS Push Button AC 0.5 series

MIMIC	Dimension	Salient features	Code	MIMIC	Dimension	Salient features	Code
		<ul style="list-style-type: none"> Available voltages: 48,110,240VACDC 6,12,24 VACDC Lamp operates on AC as well as DC Compact size Fire retardant body Sparkling bright glow Economical in price <p>Ø 22.5mm Cutout</p>	Economy			<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110,240 VAC 	Economy
			PB/ECO/ACDC			PB/ECO/05	
			PB/ECO/ACDC			PB/ECO/05	
			APPLICATIONS Illuminous push button used as status indications & actuation purpose			APPLICATIONS Illuminous push button used as status indications & actuation purpose	
Min. Pkg: 50Nos	Price	Min. Pkg: 50Nos	Price				
Red, Green & Amber White, Blue	140.00	Red, Green & Amber	131.00				
	163.00	White, Blue	154.00				
		<ul style="list-style-type: none"> Available voltages: 48,110,240VACDC 6,12,24 VACDC Lamp operates on AC as well as DC Compact size Fire retardant body 180° viewing angle Smooth glow <p>Ø 22.5mm Cutout</p>	Standard			<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110,240 VAC 	Standard
			PB/STD/ACDC			PB/STD/05	
			PB/STD/ACDC			PB/STD/05	
			APPLICATIONS Illuminous push button used as status indications & actuation purpose			APPLICATIONS Illuminous push button used as status indications & actuation purpose	
Min. Pkg: 50Nos	Price	Min. Pkg: 50Nos	Price				
Red, Green & Amber White, Blue	154.00	Red, Green & Amber	149.00				
	187.00	White, Blue	183.00				
		<ul style="list-style-type: none"> Available voltages: 48,110,240VACDC 6,12,24 VACDC Lamp operates on AC as well as DC Compact size Indicates actual legend like R, Y, B, ON, OFF, TRIP, PUMP ON etc. <p>Ø 22.5mm Cutout</p>	Legend			<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110,240 VAC 	Legend
			PB/LEG/ACDC			PB/LEG/05	
			PB/LEG/ACDC			PB/LEG/05	
			APPLICATIONS Illuminous push button used as status indications & actuation purpose			APPLICATIONS Illuminous push button used as status indications & actuation purpose	
Min. Pkg: 50Nos	Price	Min. Pkg: 50Nos	Price				
Red, Green & Amber White, Blue	167.00	Red, Green & Amber	158.00				
	200.00	White, Blue	193.00				







MIMIC LED Base "MN" series PANEL TOP INDICATORS

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
	 <p> \varnothing 36mm 115 41 50 30 186 \varnothing 36mm 318 \varnothing 22.0 \varnothing 22.5mm Cutout </p>	<ul style="list-style-type: none"> Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC Available with Flasher, Buzzer and multitier Vibration proof LED based solid-state technology Economical in price Cutout 22.5 mm 	MNPTI	Steady per tier Red, Green, Amber		374.00
			MNPTI	Steady Blue, White		673.00
			MNPTI	Flasher Red, Green, Amber		576.00
			MNPTI	Flasher Blue, White		851.00
			MNPTI	Steady + flasher, per tier Red,Green,Amber		631.00
			MNPTI	Steady + flasher, per tier Blue, White		808.00
				Buzzer		429.00
				Bicolour		687.00
				Extra for cancellation		400.00
				Above prices are per tier		
				Three flasher possible in multi tier models.		
				Four tier models can also be provided.		
				Only one buzzer available per package		
				For 110 VDC, 220 VDC, 415 VAC		154 Extra











MIMIC LED Base "STANDARD" series PANEL TOP INDICATORS

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
		<ul style="list-style-type: none"> Available voltage: 6,12,24,48,110,240,415 VAC 6,12,24,48,110,220 VDC 6,12,24,48,110,220 VAC/DC Available with Flasher, Buzzer and multitier Vibration proof LED based solid-state technology Economical in price Cutout 22.5 mm 				
			PTI	Steady per tier Red, Green, Amber		884.00
			PTI	Steady Blue, White		1664.00
			PTI	Flasher Red, Green, Amber		1122.00
			PTI	Flasher Blue, White		2112.00
			PTI	Steady+ Flasher , per tier Red, Green, Amber		1227.00
			PTI	Steady + Flasher , per tier Blue, White		2310.00
				Buzzer		429 Extra
				Extra for Audio cancellation		400.00
			PTI	Bicolour		1518.00
			PTI	Tricolour		1875.00
				Above prices are per tier		
				Three flasher possible in multi tier models.		
				Upto three tier flashing available		
				Four tier models can also be provided.		
				Only one buzzer available per package		
				For 110 VDC, 220 VDC, 415 VAC		154 Extra







MIMIC LED Base 22.5 Cutout "M" series BUZZER, RINGER, HOOTER

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
	 <p>∅ 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48,110, 220 VDC Piezo sound 22.5 mm cutout 	MIMIC 22.5 mm 'm' Series Buzzer			
			MB	Buzzer	10	414.00
			MB+F	Buzzer + 'Economy' series Flasher	10	540.00
			MB+F/STD	Buzzer + 'Standard' series Flasher	10	654.00
			MB+F/LEG	Buzzer + 'Legend' series Flasher	10	692.00
			MB+F/ECO	Buzzer + 'Economy' series Steady + Flasher	10	621.00
			MB+F/STD	Buzzer + 'Standard' series Steady + Flasher	10	762.00
			MB+F/LEG	Buzzer + 'Legend' series Steady + Flasher	10	806.00
			S+BCFL	'Bicolour' Steady + Buzzer cum Flasher	10	508.00
				Extra for Audio cancellation		400.00
	For 110 VDC, 220 VDC & 415 VAC		154 Extra			
	Extra with separates external resistor.					
	 <p>∅ 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48,110, 220 VDC Speaker sound 22.5 mm cutout 	MIMIC 22.5 mm 'm' Series Hooter			
			MH	Hooter	10	508.00
			MHCF/ECO	Hooter cum 'Economy' series Flasher	10	633.00
			MHCF/STD	Hooter cum 'Standard' series Flasher	10	750.00
			MHCF/LEG	Hooter cum 'Legend' series Flasher	10	788.00
			MH/TRI	Hooter with TriColour - Red/Amber/Green	10	1067.00
	For 110 VDC, 220 VDC & 415 VAC		154 Extra			
	with separate external resistor.					
	Extra for Audio cancellation		400.00			
	 <p>∅ 22.5mm Cutout</p>	<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48,110, 220 VDC Speaker sound 22.5 mm cutout 	MIMIC 22.5 mm 'm' Series Ringer			
			MR	Ringer	10	508.00
				For 110 VDC, 220 VDC & 415 VAC		154 Extra
				with separate external resistor.		
	Extra for Audio cancellation		400.00			








MIMIC 72 X 72 And 96 X 96 HOOTER

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
		<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48 VDC 103 – 108 dB 		<p align="center">MIMIC 72X 72 Hooter</p>		
			AN0	Single tone	10	725.00
			AGN0	Single Tone	10	725.00
				For 110 to 220 VAC/DC Hooter		On Request
		<p align="center">Cutout 68 X68 mm</p> <ul style="list-style-type: none"> Universal voltage: 90 to 220 VAC/DC 				
			AN1	Single tone / Two tone	10	877.00
			AGN1	Single Tone / Two tone	10	877.00
				For 110 to 220 VAC/DC Hooter		On Request
		<ul style="list-style-type: none"> 24 VDC, 12 VDC, 415 VAC Cutout 68 X 68 mm 				
			AN3	Single tone / Two tone	10	1000.00
			AGN3	Single tone / Two tone	10	1000.00
				With audio accept facility		
				For 110 to 220 VAC/DC Hooter		On Request
		<ul style="list-style-type: none"> Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48 VDC 110 to 220 VAC/DC 102–108 dB “E”Series Hooter plain tone “G”Series Wow...Wow tone 		<p align="center">MIMIC 96 X 96 Hooter</p>		
			EN0/GN0	Single tone	10	725.00
			EN1/GN1	Two tone	10	877.00
			EN3/GN3	Single tone and two tone selection with Audio accept facility& Indication	10	1000.00
		<p align="center">Cutout 92 X92 mm</p> <p>Audio alarm cancellation Flashing Indication will continue after acknowledgment.</p> <p>Audio Output will repeat after preset time 0 to 180/0 to 360 sec. 102–108 dB.</p>	REN3/RGN3	<p align="center">MIMIC 96 X 96 Ring Back Hooter</p> <p>Single tone and two tone selection with Audio accept facility with Ring Back & Indication</p>		
				UN 0 90 to 270VAC/DC	10	1342.00
				UN 1 90 to 270VAC/DC	10	1507.00
				UN 3 90 to 270VAC/DC	10	1870.00









MIMIC SEMAPHORE INDICATORS

MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
	 <p>40mm 32mm Semaphore 30.5 Ø mm 78mm 32mm 31 Ø mm</p>	<p>Available voltages: 24,110, 220VDC Available in combination of two colour for Horizontal and Vertical bar indication</p> <p>Body material ABS</p>		<p>MIMIC SEMAPHORE INDICATORS</p> <p>30.5mm Cutout</p>	1	997.00
	<p>Semaphore 42 Ø mm</p>  <p>PANEL CUTOUT 42 Ø mm CUTOUT DIMENSIONS 53 mm 60 mm</p>	<p>Available voltages: 24,110, 220VDC Available in combination of two colour for Horizontal and Vertical bar indication</p> <p>Body material ABS</p>		<p>MIMIC SEMAPHORE INDICATORS</p> <p>42mm Cutout</p>	1	1263.00
	<p>Semaphore 72 Ø mm</p>  <p>PANEL CUTOUT 72 Ø mm CUTOUT DIMENSIONS 90 mm 85 mm</p>	<p>Available voltages: 24,110, 220VDC Available in combination of two colour for Horizontal and Vertical bar indication</p> <p>Body material ABS</p>		<p>MIMIC SEMAPHORE INDICATORS</p> <p>72mm Cutout</p>	1	1509.00

MIMIC **BUZZER CUM FLASHER LAMP / BICOLOUR LAMP / TRICOLOUR LAMP / TRICOLOUR WITH FLASHER**


MIMIC	<u>Dimension</u>	<u>Salient features</u>	<u>Code</u>	<u>Min. Pkg.</u>	<u>Price Rs.</u>	
		Available voltages : 6, 12, 24, 48, 110, 240, 415 VAC 6, 12, 24, 48, 110, 220, VDC Ø 22.5mm Cutout	BL/ECO	Buzzer cum flasher lamp	50	394.00
			BL/STD	Buzzer cum flasher lamp	50	414.00
			BL/LEG	Buzzer cum flasher lamp	50	430.00
		Available voltages : 6, 12, 24, 48, 110, 240, 415 VAC 6, 12, 24, 48, 110, 220, VDC Ø 22.5mm Cutout	BL / CON	Continuous Buzzer with steady indication	50	300.00
	<ul style="list-style-type: none"> For indicating ON / OFF & healthy or fault condition. Available colour : Red, Amber & Green Bicolour with Flasher One colour steady another colour flashing i.e. Green steady Red flashing or any other combination as per customer's choice. ON TRIP, NORMAL FAULT Condition.		BICOLOUR LAMP		50	Price on Page No.2
	Two models are available Tricolour: All colours steady. Tricolour : Two colours steady one colour flashing Two colours for healthy condition & one colour for fault condition. Two colours for healthy condition & flashing for fault condition.		TRIL	TRICOLOUR LAMP	50	Price on Page No.2
	Three models are available in this type Tricolour with Buzzer, one colour flashing . Tricolour with Buzzer, one colour flashing with acknowledge facility. Tricolour with Buzzer, one colour flashing with acknowledge facility & potential free relay output. Two colours for healthy condition & flashing indication with Buzzer for faulty condition. Buzzer can be acknowledged by pressing push button (push button terminals provided). Relay out put may be used for tripping or giving command to external circuits		TRICOLOUR WITH BUZZER			
			TRI/LBZ	Tricolour with Buzzer, one colour flashing.	50	620.00
			TRI/LBZ	Tricolour with Buzzer, one colour flashing with acknowledge facility.	50	818.00
		Tricolour with Buzzer, one colour flashing with acknowledge facility & potential free relay output.		50	973.00	

MIMIC ACTIVE CURRENT AUDIO / VISUAL INDICATOR


MIMIC	Dimension	Salient features	Code		Min. Pkg.	Price Rs.
		<p>STD MODEL 0.5 to 10 Amp. 2 Amp. DC</p> <ul style="list-style-type: none"> • Compact size • Saves space • Available in 22.5mm Cutout • Available in various Model 		Indication type [No current no indication]		
			CSI N	0.5 to 10 Amp.	1	435.00
			CSI N	10 to 50 Amp.		Price on request
			CSI N	50 to 100 Amp.		Price on request
		<p>Enable quick signaling In case of heater / load Open or burn out.</p>		Flasher [No current flashing indication]	1	702.00
			CSI/FL	0.5 to 10 Amp.		Price on request
			CSI/FL	10 to 50 Amp.		Price on request
		<p><u>Applications</u></p> <ul style="list-style-type: none"> • Ovens • Furnaces • Heater Panels • Injection moulding machines 		Buzzer cum Flasher [No current beeping Buzzer and flashing indication]	1	847.00
			CSI/BL	0.5 to 10 Amp.		Price on request
			CSI/BL	10 to 50 Amp.		Price on request
			CSI/BL	50 to 100 Amp.		Price on request
		<ul style="list-style-type: none"> • Shrink wrap machine • Pharmaceutical machines • Thermoforming machines • Tracer heater 		Relay contact type [No current Relay energises]	1	1089.00
			CSI/RL	0.5 to 10 Amp.		Price on request
			CSI/RL	10 to 50 Amp.		Price on request
			CSI/RL	50 to 100 Amp.		Price on request

MIMIC XENON WINDOW & XENON FLASH

MIMIC



Dimension



Salient features


- Available voltages:
230 VAC
12, 24, 48, 110, 415 VAC
12, 24, 48, 110, 220 VDC

Code

XFW	MIMIC XENON WINDOW
	Red, Green, Amber, Blue, White
	Voltage:- 230 VAC
	Red, Green, Amber, Blue, White
	Voltage:- 12 VAC/DC, 24 VAC/DC, 48 VAC/DC, 110 VAC/DC, 415 VAC

Min. Pkg. Price Rs.

Min. Pkg.	Price Rs.
1	1023.00
1	1749.00



- Available voltages:
12, 24, 48, 110, 230VAC
12, 24, 48, 110, 220VDC
Available in combination of Single – Tier, Two–Tier, Three – Tier version.
Colour :- Red, Green, Amber, Yellow, White & Blue.
Available with or without Buzzer version.

XF

MIMIC XENON FLASH

	Xenon Flash in Red, Green, Amber, Blue, White
	230VAC
	12 VAC / 24 VAC / 48 VAC / 110 VAC
	12VDC / 24 VDC / 48 VDC

1	1578.00
	2502.00
	2502.00
	429 Extra

XF/BZ

For Buzzer

Xenon Flash Three Tier Type

	230VAC
	12 VAC / 24 VAC / 48 VAC / 110 VAC
	12 VDC / 24 VDC / 48 VDC


1	
1	3586.00
	6508.00
	6508.00

Xenon Flash Two Tier







	230VAC
	12 VAC / 24 VAC / 48 VAC / 110 VAC
	12 VDC / 24 VDC / 48 VDC

1	
	2926.00
	4514.00
	4514.00
	429 Extra

For Buzzer



MIMIC REAL PHASE INDICATOR

MIMIC		Dimension	Salient features	Code	Min. Pkg.	Price Rs.
		<ul style="list-style-type: none"> • 62X38 mm cutout Real Phase Indicator is a Real Indicator which will glow steady at normal voltage i.e. 220 V AC & above. At lower voltage it will start Flashing.	RFI62	MIMIC REAL PHASE INDICATOR		
				RFI RED, AMBER, GREEN	5	775.00
				RFI BLUE	5	841.00
		<ul style="list-style-type: none"> • 22.5 mm cutout Real Phase Indicator is a Real Indicator which will glow steady at normal voltage i.e. 220 V AC & above. At lower voltage it will start Flashing.	RFI62	MIMIC REAL PHASE INDICATOR		
				RFI RED, AMBER, GREEN	5	1144.00
				RFI BLUE	5	1208.00
			PFA	MIMIC PHASE FAILURE HOOTER with INDICATORS		
				Flush mounting type	1	2299.00
				Wall mounting type with fuses box	1	3176.00
				Phase failure indicator without hooter with trip relay contact	1	1524.00
				Phase failure trip relay contact with indication & without Hooter (Base mounting type)	1	1144.00
				PFH / with Relay output NO/NC with indication		3600.00

MIMIC SINGLE SIREN & MULTI PURPOSE SIREN

MIMIC



Salient features



- Available with LED Flasher or Xenon Flasher model.
- Siren can be supplied with mike where message or fault can be recorded by erasing previous fault or message.
- Also available with battery backup.
- Having rechargeable high power battery. Siren can be used for one hour Intermittently.
- Portable Siren can be supplied with mike where message or fault can be recorded by erasing previous fault or message.
- Portable siren are very use ful in case of power failure. Duty – 30 minuets Intermittent.

Code

UDL	Unidirectional	6508.00
	For fault announcer	1518.00 Extra
	For Recordable fault announcer	2772.00
	For LED Flasher	3117.00
	For Xenon Flasher	2079.00
	For Battery backup Unit	On request
	For Mike	350.00
	With volume control	1100.00
	Siren with remote Control	On request
STD PSN	"STD" Portable Siren	2218.00
	☆ Packing charges 5% Extra	









Salient features

- Available In :
- Single tone, Two tone,
 - Xenon or LED Flasher Extra.
 - Detachable driver unit.
 - Prerecorded announcement facility.
 - P. A. System available
 - MS Canopy with IP 65 Plug & Socket Extra.








	Price Rs.
Siren with Single Sound with Two Speakers	8731.00
Siren with Dual Sound with Two Speakers	10533.00
Siren with Three Sound with Two Speakers	12058.00
Siren with Four Sound with Two Speakers	13444.00
For Additional Speaker	2217.00
For MS Canopy with IP 65 Plug & Socket	970.00
For Fault Announcer	1584.00
For Recordable Fault Announcer	2772.00
For LED Flash	3115.00
For Xenon Flash	2079.00
For P. A. System	ON REQUEST
For Battery Backup	ON REQUEST
Commissioning Charges	ON REQUEST

MIMIC LED SIGNAGES





MIMIC	Dimension	Salient features	Code	Min. Pkg.	Price Rs.
		Available model : Without battery backup Single side.	Without Battery backup Single Side 300 X 100 , Without Battery backup Other models are available ☆ Packing Charges Extra	1	2630.00
		Available model : Without battery backup Two side.	Without Battery backup Two Side 300 X 100 , Without Battery backup Other models are available	1	4367.00
		Available model : With battery backup Single side.	With Battery backup Single Side 300 X 150 , With Battery backup Other models are available	1	3630.00
		Available model : With battery backup Two side.	With Battery backup Two Side 300 X 150 , With Battery backup Other models are available ☆ Packing Charges 5% Extra	1	5819.00

MIMIC AERO PLANE WARNING LIGHT











MIMIC	<u>Dimension</u>	<u>Salient features</u>	<u>Code</u>		<u>Min. Pkg.</u>	<u>Price Rs.</u>
		<p>Low Intensity LED Aviation. Toughened glass dome. Aluminum body.</p>		MIMIC AERO PLANE WARNING LIGHT		
			AWL STD	AWL Aluminum body Red, Amber, Green (STEADY)	1	10450.00
			AWL STD	AWL Aluminum body Red, Amber, Green (FLASHING) For photo sensor unit extra	1	11891.00
					1	2002.00
		<p>Low Intensity LED Aviation. Toughened glass dome. Aluminium body.</p>	AWL ECO	AWL Red, Amber, Green, (STEADY)	1	6050.00
			AWL ECO	AWL Blue (STEADY)	1	8805.00
			AWL ECO	AWL Red, Amber, Green (FLASHING)	1	7097.00
			AWL ECO	AWL Blue (FLASHING) For photo sensor unit extra	1	9938.00
						2002 Extra
		<p>All active components are installed in control panel which are accessible & all passive components like LED & register are housed in AWL housing which minimizes chances of failure.</p> <p>There are 300 numbers of circuit, each contains 10 number of LED which again increases usability.</p> <p>Redundant flasher circuit is provided to increase life of system.</p>		MIMIC AERO PLANE WARNING LIGHT		
			AWL MI	AWL LED MEDIUM INTENSITY	1	On Request

☆ Packing Charges 5% Extra



MIMIC LED SIGNAL LAMP

MIMIC	<u>Dimension</u>	<u>Salient features</u>	<u>Code</u>		<u>Min. Pkg.</u>	<u>Price Rs.</u>	
		Available model : Single colour Bicolour Tricolour	MIMIC LED SIGNAL LAMP 8 INCH				
			TSL/8"	STEADY RED, AMBER, GREEN	1	7207.00	
			TSL/8"	STEADY BLUE & WHITE	1	9768.00	
			TSL/8"	FLASHER RED, AMBER, GREEN	1	8870.00	
			TSL/8"	FLASHER BLUE & WHITE	1	10296.00	
			TSL/8"	BI-COLOUR	1	10256.00	
			TSL/8"	TRI-COLOUR			
		MIMIC LED SIGNAL LAMP 12 INCH					
		TSL/12"	LED SIGNAL LAMP 12 INCH	1	15940.00		
		TSL/4"	4" Single Colour	1	4862.00		
		TSL/4"	4" Bi - Colour	1	6072.00		
							
				★ Packing 5% Extra			

MIMIC ANNUNCIATION WINDOW

MIMIC	Dimension	Salient features	Code	Min. Pkg.	Price Rs.			
		Operating Voltage : AC :- 12,24,48,230,415 V AC DC:- 12,24,48,110,220 VDC Colours : - Red, Amber, Green, Blue, White, Yellow Cut Out : 22.5 mm Display Area : 22S - 32 mm x 22 mm Bezel area : 22S - 40 x 30 mm	W/22S	MIMIC ANNUNCIATION WINDOW 22S				
			Annunciation Window Red, Green, Amber	10	172.00			
			Annunciation Window White, Blue	10	290.00			
			Bicolour Window (Only available in 230 VAC)	10	231.00			
			Tricolour Window (Only available in 230 VAC)	10	270.00			
			(Suitable for only 1 Indication at a time)					
			For film ☆ No discount Applicable		22 Extra			
			For 110DC, 220VDC & 415VAC		18 Extra			
					Operating Voltage : AC :- 12,24,48, 230, 415 V AC DC:- 12, 24, 48, 110, 220 VDC Colours : - Red, Amber, Green, Blue, White, Yellow Cut Out : 22.5 mm Display Area : 22L - 51.5mm x 22.5mm Bezel Area : 22L - 60mm x 30 mm	W/22L	MIMIC ANNUNCIATION WINDOW 22L	
						Annunciation Window Red, Green, Amber	10	198.00
Annunciation Window White, Blue	10	345.00						
Bicolour Window (Only available in 230 VAC)	10	262.00						
Tricolour Window (Only available in 230 VAC)	10	308.00						
(Suitable for only 1 Indication at a time)								
For film ☆ No discount Applicable		22 Extra						
For 110DC, 220VDC & 415VAC		18 Extra						
  	  	(1) (2) (3)				W/STD	MIMIC STANDARD ANNUNCIATION WINDOW	
						1) Red, Green, Amber	10	390.00
			2) Two Way - Red, Green, Amber	10	500.00			
			3) Four Way - Red, Green, Amber	10	605.00			
			White, Blue	10	719.00			
			Flashing Red, Green, Amber	10	499.00			
			Flashing White, Blue	10	929.00			
			Steady + Flashing	10	652.00			
			Steady + Flashing White, Blue	10	1213.00			
			For film * No discount Applicable		22 Extra			
For 110VDC, 220VDC & 415VAC		18 Extra						

MIMIC SPECIAL PRODUCT

MIMIC	<u>Dimension</u>	<u>Salient features</u>	<u>Code</u>	
		<p>4 Point - Compact size x = 96, Y = 96</p> <p>8 Point - Compact size x = 192, Y = 96</p> <p>12 Point - Compact size x = 192, Y = 192</p> <p>Test, Accept & Auto Reset. Fault indication through led indicating window having legend film.</p> <p>Easy facility of changing film.</p> <p>In built high pitch alarm - 90db to 110db.</p> <p>For combined annunciation panel will be flush mounting type.</p> <p>Available voltages: 24VDC, 240VAC & 110vdc</p>		MIMIC ANNUNCIATION SYSTEM having Test, Accept & Auto reset with built in audio alarm
			ANN2	2 Point Annunciation System
			ANN4	4 Point Annunciation System
			ANN8	8 Point Annunciation System
			ANN12	12 Point Annunciation System
				More than 12 point Ann. System
		★ Packing & Forwarding 5% Extra		

'MIMIC' Multipoint Annunciation System (Price List 2012)

	4 Point (Size in mm)			6 Point (Size in mm)			8 Point (Size in mm)			12 Point (Size in mm)		
	Overall size			Overall size			Overall size			Overall size		
	Cutout	WxHxD	Price	Cutout	WxHxD	Price	Cutout	WxHxD	Price	Cutout	WxHxD	Price
22S	92x92	96x96x150	4224/-	92x184x200	96x192x200	6534/-	184x184x200	192x192x200	8712/-	184x252x200	192x264x200	12830/-
22L	138x138	144x144x200	5121/-	184x184x200	192x192x200	7444/-	184x184x200	192x192x200	9609/-	184x252x200	192x264x200	14177/-
Standard	184x184	192x192x200	7920/-	184x276x200	192x298x200	11563/-	368x528x200	384x528x200	15100/-	552x552x200	576x576x200	22334/-
STD / 2	184x92	96x192x200	4169/-	184x184x200	192x192x200	7198/-	184x184x200	192x192x200	7233/-	184x276x200	192x298x200	11800/-
STD / 4	92x92	96x96x150	2587/-	STD / 4 & 6 Point Ann System is Not Available			92x184x200	96x192x200	5016/-	184x184x200	192x192x200	7365/-
Mini type Annunciation System				22S (40mm x 30mm) Display area 32mm x 22mm 22L (60mm x 30mm) Display area 51.5mm x 30mm Standard (83mm x 46mm) Display area 58mm x 33mm STD / 2 (83mm x 46mm) Display area 29mm x 16.5mm STD / 4 (83mm x 46mm) Display area 14.5mm x 8.2mm								
	Cutout	WxHxD	Price									
STD 2	92x92	92x92x150	2085/-									
Standard	92x92	92x184x200	3960/-									
STD 8	138 x68	72x144x200	6600/-									







WINDOW TYPE	4 POINT (Size in mm)		6 POINT (Size in mm)		8 POINT (Size in mm)		12 POINT (Size in mm)	
	Box overall size		Box overall size		Box overall size		Box overall size	
	Cutout	W x H x D	Cutout	W x H x D	Cutout	W x H x D	Cutout	W x H x D
22 S	92 x 92	96 x 96 x 150	92 x 184 x 200	92 x 192 x 200	184 x 184 x 200	192 x 192 x 200	184 x 252 x 200	192 x 264 x 200
22 L	138 x 138	144 x 144 x 200	184 x 184 x 200	192 x 192 x 200	184 x 184 x 200	192 x 192 x 200	184 x 252 x 200	192 x 264 x 200
Standard	184 x 184	192 x 192 x 200	184 x 276 x 200	192 x 298 x 200	368 x 528 x 200	384 x 528 x 200	552 x 552 x 200	576 x 576 x 200
STD / 2	184 x 92	96 x 192 x 200	184 x 184 x 200	192 x 192 x 200	184 x 184 x 200	192 x 192 x 200	184 x 276 x 200	192 x 298 x 200
STD / 4	92x 92	96 x 96 x 150	STD/4 6 Point Annun System is not available		92 x 184 x 200	92 x 192 x 200	184 x 184 x 200	192 x 192 x 200

4 POINT (Size in mm)

WINDOW TYPE	Cutout	Box overall size
Standard	92 x 92	92 x 184 x 200
STD / 4	92x 92	92 x92 x 150
STD 8	138 x68	72x144x200

22 S								
22 L								
Standard								
STD / 2								
STD / 4								

MIMIC FAULT ANNOUNCER

MIMIC	Dimension	Salient features	Code	Min. Pkg.	Price Rs.
			72 x 72 Cutout Pre-recorded Fault Announcer	1	ON Request
			Re-recordable will be available in 72 x 72 Cutout Pre-recorded		ON Request
			For 110 VDC, 220 VDC & 415 VAC Extra with separates external resistor.		429 Extra
		<ul style="list-style-type: none"> Available in 22.5 mm cutout 92 X 92mm Cutout Available voltages: 6,12,24,48,110, 240, 415 VAC 6,12,24,48,110, 220 VDC Announces actual fault 	FA 92 X 92 Cutout Pre recorded Fault Announcer	1	1810.00
			For 110 VDC, 220 VDC & 415 VAC Extra with separates external resistor.		429 Extra
		<ul style="list-style-type: none"> Cutout 92 x 92 Available with detachable microphone cord thorough which any message/ announcement can be made Previous message or announcement automatically gets erased after recording new message. Available voltages :- 6, 12, 24, 48, 110, 230 VAC 6, 12, 24, 48, 110, 230 VDC 	MIMIC Recordable Fault Announcer		
			mFA 22.5mm cutout Recordable without Mike	1	3368.00
			FA 92 X 92 Cutout Recordable		On Request
			For 110 VDC 220 VDC		429 Extra
			For Mike		On Request