

Namonkar CT

Namonkar CT

Namonkar CT offers you wide range technical properties for your cable and wire management applications against not only mechanical damage but also the influences of UV radiation, weathering and chemicals. The flexible body allows for the cables in the corner and elbow. We also supply the split style for easy installation and removal.

Application


It is widely used for protecting wires and cables harnesses in automotive, equipment, railway etc. It also can be used for protecting the hydraulic hoses.



Picture



Drawing





NAMONKAR ENTERPRISES

INSULATE • TERMINATE • BUNDLE • IDENTIFY

| Technical data | |
|-----------------|------------------------------------------------------------------------------------------|
| Material | 1)MELG:PE 2)MNLG :PA 3)MDLG :PP |
| Operating range | 1) MELG: &40"C-- +90 °C 2) MNLG: &40"C-- +130 °C 3) MDLG: &30"C-- +110 °C |
| Standard colour | Black and grey. |
| Certificate | RoHS |
| Other features | Highly abrasion resistance, resist acids, solvents and fuel resistant. |

Data Sheet :-

| PE Material Part No. | PA Material Part No. | PP Material Part No. | I.D. * O.D. (d*D) | Bending Radius R!10% | Packing (L) |
|----------------------|----------------------|----------------------|-------------------|----------------------|-------------|
| Namonkar CTPE-7 | Namonkar CTPA-7 | Namonkar CTPP-7 | 4.5 * 7 | 5 | 200 m/roll |
| Namonkar CTPE-8.5 | Namonkar CTPA-8.5 | Namonkar CTPP-8.5 | 5.5 * 8.5 | 8 | 100 m/roll |
| Namonkar CTPE-10 | Namonkar CTPA-10 | Namonkar CTPP-10 | 7 * 10 | 10 | 100 m/roll |
| Namonkar CTPE-12 | Namonkar CTPA-12 | Namonkar CTPP-12 | 8.5 * 11.5 | 15 | 100 m/roll |
| Namonkar CTPE-13 | Namonkar CTPA-13 | Namonkar CTPP-13 | 10 * 13 | 20 | 100 m/roll |
| Namonkar CTPE-15.8 | Namonkar CTPA-15.8 | Namonkar CTPP-15.8 | 12 * 15.8 | 30 | 100 m/roll |
| Namonkar CTPE-18.5 | Namonkar CTPA-18.5 | Namonkar CTPP-18.5 | 14.3 * 18.5 | 40 | 100 m/roll |
| Namonkar CTPE-21.2 | Namonkar CTPA-21.2 | Namonkar CTPP-21.2 | 17 * 21.2 | 45 | 100 m/roll |

**3, Raghunandan Complex, Mantarwadi Phata, Phursungi,
PUNE – 412308, Email – akrjain1202@gmail.com**



NAMONKAR ENTERPRISES

INSULATE • TERMINATE • BUNDLE • IDENTIFY

| | | | | | |
|------------------------|------------------------|------------------------|-----------|----|------------|
| Namonkar CTPE- 25 | Namonkar CTPA- 25 | Namonkar CTPP- 25 | 21 * 25 | 50 | 100 m/roll |
| Namonkar CTPE- 28.5 | Namonkar CTPA- 28.5 | Namonkar CTPP- 28.5 | 23 * 28.5 | 55 | 50 m/roll |
| Namonkar CTPE- 34.5 | Namonkar CTPA- 34.5 | Namonkar CTPP- 34.5 | 29 * 34.5 | 60 | 50 m/roll |
| Namonkar CTPE- 42.5 | Namonkar CTPA- 42.5 | Namonkar CTPP- 42.5 | 36 * 42.5 | 70 | 25 m/roll |
| Namonkar CTPE- 54.5 | Namonkar CTPA- 54.5 | Namonkar CTPP- 54.5 | 48 * 54.5 | 80 | 25 m/roll |

Unit: mm

**3, Raghunandan Complex, Mantarwadi Phata, Phursungi,
PUNE – 412308, Email – akrjain1202@gmail.com**